

X·ONE®

- vejen til frihed



X-ONE P - serie | Extreme Power

X-ONE P-serie er det ypperligste du kan få, når der stilles krav til en ekstrem ydeevne. Spækket med tekniske features og et yderst attraktivt design i børstet aluminium, appellerer disse modeller til den kræsne og selektive forbruger.

Modeller fra 15,4 til 17"

X-ONE H - serie | Value og design

Med den nye H serie har X-ONE kræret en serie af notebooks, som er velegnet til bruge, hvor opgaverne varierer lige fra office til de mere krævende grafiske opgaver.

En model der passer til de fleste.

Modeller fra 12 til 17"



X-ONE B - serie | Business

X-ONE B serie er den rette følgesvend, når kravene til mobilitet, sikkerhed og stabilitet vægtes meget højt.

Modeller fra 7 til 15,4"



X-ONE P860TU48

- 15.4" TFT Widescreen (WUXGA+/1920x1200)
- Intel® Core™ 2 Duo P8400 (2.26GHz)
- 120 GB Harddisk
- 2 GB DDR3 RAM
- NVIDIA® GeForce® 9800M-GTS m/ 512MB RAM
- DVD/RW DualLayer
- 2 Megapixel Webcam
- Trådløs Netkort (300Mbit), Bluetooth
- Gigabit LAN
- Fingerscan - fingeraftryks læser for sikker login
- HDMI, eSATA, TPM v1.2



Det sidste nye på markedet inden for extreme powernotebook. Denne 15,4" notebook er den mindste på markedet, med den kraftigste ydeevne. Med den sidste nye teknologi fra Intel, nVIDIA Geforce 9800M-GTS grafik, forberedt til mobilt bredbånd, super højopløslig skærm (1920x1200) og meget mere, får du her alt hvad du behøver. Til dig der både stiller krav til ydeevne og design, bliver denne model leveret i et børstet aluminiumsfinish, der gør den yderst stilren. Perfekt til at arbejde med 3D grafik og alt andet der kræver mange

24!
MÅNEDERS
HOTLINE

Dansk hotline og service!

X·ONE notebook modellerne er alle omfattet af 24 måneders udvidet hotline, som dækker såvel hardware som Windows, men også MS Office og Adobe produkter, derudover suppleret af hurtig lokal service på eget værksted i Danmark.



Turbo3G Ready (Intern):

En X·ONE notebook der er Turbo3G Ready, har indbygget 3G antenne og udvidelses slot. Det eneste der skal tilkøbes er et HSDPA modem (som indbygges) samt et 3G abonnement (f.eks. fra 3) HSDPA understøtter hastigheder op til 3,6Mbit download og 384 Kbit upload.

Derefter vil du være online overalt. Glem alt om faste, besværlige adsl-linjer - fremtidens internet er mobilt! Det giver dig adgang til internettet i f.eks. bussen, i parken, i lufthavnen, i toget, i sommerhuset eller på studiet.

Kan konfigureres efter eget ønske.
Se X-ONE prisliste for priser og opgraderinger.

Yderligere specifikationer:

CPU support

Intel® Core / Core 2 Duo processor Socket P
FSB667/ FSB800/FSB1066

Core Logic

Intel® PM45 + ICH9M

Display

15,4" WUXGA (1920x1200) GT TFT LCD
CrystalClear

Memory

Supports Dual Channel DDR-III SDRAM
64-bit wide per channel
Two 204Pins SODIMM sockets
Supports for DDRIII at 800MHz and 1066MHz
Expandable Memory up to 4GB, depends on 1GB/2GB
SODIMM Module
(Option) Intel® Turbo Memory, 2GB/4GB

Video Controller

nVIDIA® GeForce® 9800M GTS
512MB DDRIII Video ram on board
Support PCI-E*16
MS DirectX®10 compatible
MXM-III
Support HDCP

Storage

1x changeable 2.5" 9.5mm(H), SATA HDD
1x changeable 12.7mm(H) Combo / DVD-Dual / Blu-Ray /
HD-DVD
(Option) Intel® Turbo Memory, 2GB/4GB

Keyboard

Full size keyboard, Multi language support
Built-in Touch pad with scrolling function

Sound System

Intel® High definition audio
3D stereo enhanced sound system
Compatible Sound-Blaster PRO
S/PDIF Digital output
1x Built-in Microphone
2x Built-in Speakers,1.5W

I/O Ports

3x USB 2.0 ports
1x eSATA
1x HDMI output
1x DVI output
1x Headphone jack
1x Microphone jack
1x S/PDIF Output jack
1x RJ-45 jack
1x RJ-11 jack
1x IEEE 1394a
1x DC In jack

Slots

1x ExpressCard 54(34) slot
2x Mini-card slot (1st for Turbo Memory/3.5G; 2nd for
WLAN)
7-in-1 Card Reader (MMC/RSMCMC/MS/MS Pro/MS
Duo/SD/Mini-SD)

Communication

56K MDC Azalia Modem with V.90&V.92 compliant
Built-in Gigabit Ethernet LAN
Intel® Wireless LAN WiFi Link 4965AGN with MiniCard,
PCI-E interface
(option) Intel Wireless LAN (Shirley Peak/Echo Peak)
Bluetooth V2.0 + EDR module
2M pixel video camera module
(option) UMTS/HSDPA 3.5G MiniCard module with USB
interface

Power

Full Range 120W AC adapter - AC input 100~240V,
50~60Hz, DC output 20V, 6A
Removable 8 cells smart Lithium-Ion battery pack, 4.4Ah

Security

Fingerscanner
BIOS password
Built-in TPM v1.2 (Trusted Platform Module)
Kensington® Lock

OS Support

Windows® XP (SP2)
Windows® VISTA Premium (64 bit)
Windows® VISTA Premium (64-bit) logo

Dimension

364(W) x 269.5(D) x 29 ~ 41(H)mm
3.2Kg with 8 cells Battery

Options

Combo / DVD-Dual / Blu-Ray / HD-DVD device module
Intel® Turbo Memory, 2GB/4GB



X-ONE P860TU38

- 15.4" TFT Widescreen (WSXGA+/1680x1050)
- Intel® Core™ 2 Duo P8400 (2.26GHz)
- 120 GB Harddisk
- 2 GB DDR3 RAM
- NVIDIA® GeForce® 9800M-GTS m/ 512MB RAM
- DVD/RW DualLayer
- 2 Megapixel Webcam
- Trådløs Netkort (300Mbit), Bluetooth
- Gigabit LAN
- Fingerscan - fingeraftryks læser for sikker login
- HDMI, eSATA, TPM v1.2



Det sidste nye på markedet inden for extreme powernotebook. Denne 15,4" notebook er den mindste på markedet, med den kraftigste ydeevne. Med den sidste nye teknologi fra Intel, nVIDIA Geforce 9800M-GTS grafik, forberedt for mobilt bredbånd og meget mere, får du her alt hvad du behøver. Til dig der både stiller krav til ydeevne og design, bliver denne model leveret i et børstet aluminiumsfinish, der gør den yderst stilren. Perfekt til at arbejde med 3D grafik og alt andet der kræver mange hardware ressourcer.



Dansk hotline og service!

X·ONE notebook modellerne er alle omfattet af 24 måneders udvidet hotline, som dækker såvel hardware som Windows, men også MS Office og Adobe produkter, derudover suppleret af hurtig lokal service på eget værksted i Danmark.



Turbo3G Ready (Intern):

En X·ONE notebook der er Turbo3G Ready, har indbygget 3G antenne og udvidelses slot. Det eneste der skal tilkøbes er et HSDPA modem (som indbygges) samt et 3G abonnement (f.eks. fra 3) HSDPA understøtter hastigheder op til 3,6Mbit download og 384 Kbit upload.

Derefter vil du være online overalt. Glem alt om faste, besværlige adsl-linjer - fremtidens internet er mobilt! Det giver dig adgang til internettet i f.eks. bussen, i parken, i lufthavnen, i toget, i sommerhuset eller på studiet.

Kan konfigureres efter eget ønske.
Se X-ONE prisliste for priser og opgraderinger.

Yderligere specifikationer:

CPU support

Intel® Core / Core 2 Duo processor Socket P
FSB667/ FSB800/FSB1066

Core Logic

Intel® PM45 + ICH9M

Display

15,4" WSXGA+ (1650x1050) GT TFT LCD
CrystalClear

Memory

Supports Dual Channel DDR-III SDRAM
64-bit wide per channel
Two 204Pins SODIMM sockets
Supports for DDRIII at 800MHz and 1066MHz
Expandable Memory up to 4GB, depends on
1GB/2GB SODIMM Module
(Option) Intel® Turbo Memory, 2GB/4GB

Video Controller

nVIDIA® GeForce® 9800M GTS
512MB DDRIII Video ram on board
Support PCI-E*16
MS DirectX®10 compatible
MXM-III
Support HDCP

Storage

1x changeable 2.5" 9.5mm(H), SATA HDD
1x changeable 12.7mm(H) Combo / DVD-Dual / Blu-Ray /
HD-DVD
(Option) Intel® Turbo Memory, 2GB/4GB

Keyboard

Full size keyboard, Multi language support
Built-in Touch pad with scrolling function

Sound System

Intel® High definition audio
3D stereo enhanced sound system
Compatible Sound-Blaster PRO
S/PDIF Digital output
1x Built-in Microphone
2x Built-in Speakers, 1.5W

I/O Ports

3x USB 2.0 ports
1x eSATA
1x HDMI output
1x DVI output
1x Headphone jack
1x Microphone jack
1x S/PDIF Output jack
1x RJ-45 jack
1x RJ-11 jack
1x IEEE 1394a
1x DC In jack

Slots

1x ExpressCard 54(34) slot
2x Mini-card slot (1st for Turbo Memory/3.5G; 2nd for
WLAN)
7-in-1 Card Reader (MMC/RSMCMC/MS/MS Pro/MS
Duo/SD/Mini-SD)

Communication

56K MDC Azalia Modem with V.90&V.92 compliant
Built-in Gigabit Ethernet LAN
Intel® Wireless LAN WiFi Link 4965AGN with MiniCard,
PCI-E interface
(option) Intel Wireless LAN (Shirley Peak/Echo Peak)
Bluetooth V2.0 + EDR module
2M pixel video camera module
(option) UMTS/HSDPA 3.5G MiniCard module with USB
interface

Power

Full Range 120W AC adapter - AC input 100~240V,
50~60Hz, DC output 20V, 6A
Removable 8 cells smart Lithium-Ion battery pack, 4.4Ah

Security

Fingerscanner
BIOS password
Built-in TPM v1.2 (Trusted Platform Module)
Kensington® Lock

OS Support

Windows® XP (SP2)
Windows® VISTA Premium (64 bit)
Windows® VISTA Premium (64-bit) logo

Dimension

364(W) x 269.5(D) x 29 ~ 41(H)mm
3.2Kg with 8 cells Battery

Options

Combo / DVD-Dual / Blu-Ray / HD-DVD device module
Intel® Turbo Memory, 2GB/4GB



X-ONE P860TU36

- 15.4" TFT Widescreen (WSXGA+/1680x1050)
- Intel® Core™ 2 Duo P8400 (2.26GHz)
- 120 GB Harddisk
- 2 GB DDR3 RAM
- NVIDIA® GeForce® 9600M-GS m/ 256MB RAM
- DVD/RW DualLayer
- 2 Megapixel Webcam
- Trådløs Netkort (300Mbit), Bluetooth
- Gigabit LAN
- Fingerscan - fingeraftryks læser for sikker login
- HDMI, eSATA, TPM v1.2

Det sidste nye på markedet inden for extreme powernotebook. Denne 15,4" notebook er den mindste på markedet, med den kraftigste ydeevne. Med den sidste nye teknologi fra Intel, NVIDIA GeForce 9600M-GS grafik, forberedt til mobilt bredbånd og meget mere, får du her alt hvad du behøver. Til dig der både stiller krav til ydeevne og design, bliver denne model leveret i et børstet aluminiumsfinish, der gør den yderst stilren. Perfekt til at arbejde med 3D grafik og alt andet der kræver mange hardware ressourcer.

24!
MÅNEDERS
HOTLINE

Dansk hotline og service!

X·ONE notebook modellerne er alle omfattet af 24 måneders udvidet hotline, som dækker såvel hardware som Windows, men også MS Office og Adobe produkter, derudover suppleret af hurtig lokal service på eget værksted i Danmark.



Turbo3G Ready (Intern):

En X·ONE notebook der er Turbo3G Ready, har indbygget 3G antenne og udvidelses slot. Det eneste der skal tilkøbes er et HSDPA modem (som indbygges) samt et 3G abonnement (f.eks. fra 3) HSDPA understøtter hastigheder op til 3,6Mbit download og 384 Kbit upload.

Derefter vil du være online overalt. Glem alt om faste, besværlige adsl-linjer - fremtidens internet er mobilt! Det giver dig adgang til internettet i f.eks. bussen, i parken, i lufthavnen, i toget, i sommerhuset eller på studiet.

Kan konfigureres efter eget ønske.
Se X-ONE prisliste for priser og opgraderinger.

Yderligere specifikationer:

CPU support

Intel® Core / Core 2 Duo processor Socket P
FSB667/ FSB800/FSB1066

Core Logic

Intel® PM45 + ICH9M

Display

15,4" WSXGA+ (1650x1050) GT TFT LCD
CrystalClear

Memory

Supports Dual Channel DDR-III SDRAM
64-bit wide per channel
Two 204Pins SODIMM sockets
Supports for DDRIII at 800MHz and 1066MHz
Expandable Memory up to 4GB, depends on 1GB/2GB
SODIMM Module
(Option) Intel® Turbo Memory, 2GB/4GB

Video Controller

nVIDIA® GeForce® 9600M GS
256MB DDRIII Video ram on board
Support PCI-E*16
MS DirectX®10 compatible
MXM-III
Support HDCP

Storage

1x changeable 2.5" 9.5mm(H), SATA HDD
1x changeable 12.7mm(H) Combo / DVD-Dual / Blu-Ray /
HD-DVD
(Option) Intel® Turbo Memory, 2GB/4GB

Keyboard

Full size keyboard, Multi language support
Built-in Touch pad with scrolling function

Sound System

Intel® High definition audio
3D stereo enhanced sound system
Compatible Sound-Blaster PRO
S/PDIF Digital output
1x Built-in Microphone
2x Built-in Speakers,1.5W

I/O Ports

3x USB 2.0 ports
1x eSATA
1x HDMI output
1x DVI output
1x Headphone jack
1x Microphone jack
1x S/PDIF Output jack
1x RJ-45 jack
1x RJ-11 jack
1x IEEE 1394a
1x DC In jack

Slots

1x ExpressCard 54(34) slot
2x Mini-card slot (1st for Turbo Memory/3.5G; 2nd for
WLAN)
7-in-1 Card Reader (MMC/RSMCMC/MS/MS Pro/MS
Duo/SD/Mini-SD)

Communication

56K MDC Azalia Modem with V.90&V.92 compliant
Built-in Gigabit Ethernet LAN
(option) Intel Wireless LAN WiFi Link 4965AGN with
MiniCard, PCI-E interface
(option) Intel Wireless LAN (Shirley Peak/Echo Peak)
Bluetooth V2.0 + EDR module
2M pixel video camera module
(option) UMTS/HSDPA 3.5G MiniCard module with USB
interface

Power

Full Range 120W AC adapter - AC input 100~240V,
50~60Hz, DC output 20V, 6A
Removable 8 cells smart Lithium-Ion battery pack, 4.4Ah

Security

Fingerscanner
BIOS password
Built-in TPM v1.2
Kensington® Lock

OS Support

Windows® XP (SP2)
Windows® VISTA Premium (64 bit)
Windows® VISTA Premium (64-bit) logo

Dimension

364(W) x 269.5(D) x 29 ~ 41(H)mm
3.2Kg with 8 cells Battery

Options

Combo / DVD-Dual / Blu-Ray / HD-DVD device module
Intel® Turbo Memory, 2GB/4GB



X·ONE P570RU-U3

- 17" TFT Widescreen (WUXGA/1920x1200) CrystalClear
- Intel® Core™ 2 Duo T5470 (1.60GHz)
- 120 GB Harddisk
- 2 GB DDR2 RAM
- nVidia 8800M-GTX m/ 512MB DDR3
- DVD/RW DualLayer
- 2M pixel Webcam
- Trådløs Netkort, BlueTooth
- GB LAN
- Fingerscan - fingeraftryks læser for sikker login

Kan konfigureres efter eget ønske.
Se X·ONE prislister for priser og opgraderinger.



Dansk hotline og service!

X·ONE notebook modellerne er alle omfattet af 24 måneders udvidet hotline, som dækker såvel hardware som Windows, men også MS Office og Adobe produkter, derudover suppleret af hurtig lokal service på eget værksted i Danmark.

High-End Gamer

Ultimativ gamer-notebook med Centrino Duo, den nyeste power teknologi fra Intel. Den har et Nvidia GeForce 8800MGTX grafikkort med 512MB DDR3, Webcam, Bluetooth, Numerisk Tastatur, 300Mbit wireless og meget mere. Perfekt til gameren, arbejde med 3D grafik og alt andet der kræver mange hardware ressourcer.

Yderligere specifikationer:

CPU support

Intel® Core / Core 2 Duo processor Socket P
FSB800/ FSB667

Core Logic

Intel® PM965 + ICH8M

Display

17" WUXGA (1920x1200) GT TFT LCD
Crystal Clear

Memory

Supports Dual Channel DDRII SDRAM
64-bit wide per channel
Two 200Pins SODIMM sockets
Supports for DDRII at 533MHz and 667MHz
Expandable Memory up to 4GB, depends on
512MB/1GB/2GB SODIMM Module
(Option) Intel® Turbo Memory, 512MB/1GB

Video Controller

nVIDIA® GeForce® 8800M GTX
512MB DDRIII Video ram on board
Support PCI-E*16
MS Directx®10 compatible
MXM-III
Support HDCP

Storage

1x changeable 2.5" 9.5mm(H), SATA HDD
1x changeable 12.7mm(H) Combo / DVD-Dual / Blu-Ray /
HD-DVD

Keyboard

Full size keyboard, Multi language support
Built-in Touch pad with scrolling function

Sound System

Intel® High definition audio
3D stereo enhanced sound system
Compatible Sound-Blaster PROT
S/PDIF Digital output
1x Built-in Microphone
2x Built-in Speakers, 1.5W
1x Built-in woofer 2W

I/O Ports

4x USB 2.0 ports
1x DVI output
1x Headphone jack
1x Microphone jack
1x Line in jack
1x S/PDIF Output jack
1x COM port
1x RJ-45 jack
1x RJ-11 jack
1x IEEE 1394
1x TV out
1x RF-in jack
1x DC In jack
1x CIR for TV remote controller

Security

Fingerscanner
BIOS password
Kensington® Lock

Slots

1x ExpressCard/54(34) slot
1x Mini-card slot (TV Tuner / Turbo memory)
1x Mini-PCI socket (WiFi)
7-in-1 Card Reader (MMC/RSMCM/MS/MS Pro/MS
Duo/SD/Mini-SD)

Communication

56K MDC Azalia Modem with V.90&V.92 compliant
Built-in Gigabit Ethernet LAN
Intel® Wireless LAN WiFi Link 4965AGN with MiniCard,
PCI-E interface
Bluetooth V2.0 + EDR module
2M pixel video camera module
(Option) TV Tuner module with Mini-Card interface

Power

Full Range 120W AC adapter - AC input 100~240V,
50~60Hz, DC output 20V, 6A
Removable 8 cells smart Lithium-Ion battery pack, 4.4Ah

OS Support

Windows® XP
Windows® VISTA Premium (64 bit)
Windows® VISTA Premium (64-bit) logo

Dimension

397(W) x 284(D) x 22 ~ 44(H)mm
3.95Kg with 8 cells Battery

Options

Combo / DVD-Dual / Blu-Ray / HD-DVD device module
TV Tuner module with MiniCard interface
Intel® Turbo Memory, 512MB/1GB



X-ONE P570TU

- 17" TFT Widescreen (WUXGA/1920x1200) CrystalClear
- Intel® Core™ 2 Duo T5450 (1.66GHz)
- 120 GB Harddisk
- 2 GB DDR2 RAM
- nVidia 9800M-GTX m/ 512MB DDR3
- DVD/RW DualLayer
- 2M pixel Webcam
- Trådløs Netkort, BlueTooth
- GB LAN
- Fingerscan - fingeraftryks læser for sikker login

Kan konfigureres efter eget ønske.
Se X-ONE prislister for priser og opgraderinger.



Dansk hotline og service!

X·ONE notebook modellerne er alle omfattet af 24 måneders udvidet hotline, som dækker såvel hardware som Windows, men også MS Office og Adobe produkter, derudover suppleret af hurtig lokal service på eget værksted i Danmark.

High-End Gamer

Ultimativ gamer-notebook med Centrino Duo, den nyeste power teknologi fra Intel. Den har et Nvidia GeForce 8800MGTX grafikort med 512MB DDR3, Webcam, Bluetooth, Numerisk Tastatur, 300Mbit wireless og meget mere. Perfekt til gameren, arbejde med 3D grafik og alt andet der kræver mange hardware ressourcer.

Yderligere specifikationer:

CPU support

Intel® Core / Core 2 Duo processor Socket P
FSB1066/ FSB800/ FSB667

Core Logic

Intel® PM45 + ICH9M

Display

17" WUXGA (1920x1200) GT TFT LCD
CrystalClear

Memory

Supports Dual Channel DDR-III SDRAM
64-bit wide per channel
Two 204Pins SODIMM sockets
Supports for DDRIII at 800MHz and 1066MHz
Expandable Memory up to 4GB, depends on 1GB/2GB
SODIMM Module
(Option) Intel® Turbo Memory, 2GB/4GB

Video Controller

nVIDIA® GeForce® 9800M GTX
512MB DDRIII Video ram on board
Support PCI-E*16
MS DirectX®10 compatible
MXM-IV
Support HDCP

Storage

1x changeable 2.5" 9.5mm(H), SATA HDD
1x changeable 12.7mm(H) Combo / DVD-Dual / Blu-Ray /
HD-DVD
(Option) Intel® Turbo Memory, 2GB/4GB

Keyboard

Full size keyboard, Multi language support
Built-in Touch pad with scrolling function

Sound System

Integrated Azalia Compliant Interface
Intel® High definition audio
3D stereo enhanced sound system
SRS stereo enhanced sound system
Compatible Sound-Blaster PRO
S/PDIF Digital output
1x Built-in Microphone
2x Built-in Speakers, 1.5W
1x Built-in Sub-woofer, 2W

I/O Ports

4x USB 2.0 ports
1x eSATA (share with USB port)
1x HDMI output with audio output
1x DVI-I output
1x Headphone jack
1x Microphone jack
1x Line-in jack
1x S/PDIF Output jack
1x RJ-45 jack
1x RJ-11 jack
1x IEEE 1394a
1x DC In jack
1x RF-in jack
1x CIR for TV remote controller

Security

Fingerscanner
BIOS password
Built-in TPM v1.2 (Trusted Platform Module)
Kingston® Lock

Slots

1x ExpressCard 54(34) slot
3x Mini-card slots (1st: TV Tuner, 2nd: WLAN/WiMAX, 3rd:
Turbo Memory)
7-in-1 Card Reader (MMC/RSMCMC/MS/MS Pro/MS
Duo/SD/Mini-SD)

Communication

56K MDC Azalia Modem with V.90&V.92 compliant
Built-in Gigabit Ethernet LAN
Intel® Wireless LAN WiFi Link 4965AGN with MiniCard,
PCI-E interface
(option) Intel Wireless LAN (Shirley Peak/Echo Peak)
Bluetooth V2.0 + EDR module
2M pixel video camera module

Power

Full Range 120W AC adapter - AC input 100~240V,
50~60Hz, DC output 20V, 6A
Removable 8 cells smart Lithium-Ion battery pack, 4.4Ah

OS Support

Windows® XP (SP2)
Windows® VISTA Premium (64 bit)
Windows® VISTA Premium (64-bit) logo

Dimension

397(W) x 284(D) x 22 ~ 44(H)mm
3.95Kg with 8 cells Battery

Options

Combo / DVD-Dual / Blu-Ray / HD-DVD device module
Intel® Turbo Memory, 2GB/4GB
TV Tuner module with MiniCard interface



X-ONE H767TU3

- 15.4" TFT Widescreen (WSXGA+/GT 1680x1050)
- Intel® Core™2 Duo T5870 (2.00GHz)
- 120 GB Harddisk
- 1 GB DDR2 RAM
- NVIDIA® GF 9300M GS m/ 256MB RAM (max. 512MB)
- DVD/RW DualLayer
- 2 Megapixel Webcam
- Trådløs Netkort (300Mbit) & GB LAN
- Fingerscan, 4000mAh batteri



Med denne X•ONE model får du en flot og stabil bærbar computer med den sidste nye teknologi, som både kan bruges til spil og mindre grafiske opgaver.

Med indbygget BT og mulighed for Turbo3G er denne model nem at medbringe overalt. Designet i børstet aluminium er det nyeste look på markedet, som gør den model yderst præsentabel i alle selskaber.

24!
MÅNEDERS
HOTLINE

Dansk hotline og service!

X•ONE notebook modellerne er alle omfattet af 24 måneders udvidet hotline, som dækker såvel hardware som Windows, men også MS Office og Adobe produkter, derudover suppleret af hurtig lokal service på eget værksted i Danmark.



Turbo3G Ready (Intern):

En X•ONE notebook der er Turbo3G Ready, har indbygget 3G antenne og udvidelses slot. Det eneste der skal tilkøbes er et HSDPA modem (som indbygges) samt et 3G abonnement (f.eks. fra 3) HSDPA understøtter hastigheder op til 3,6Mbit download og 384 Kbit upload.

Derefter vil du være online overalt. Glem alt om faste, besværlige adsl-linjer - fremtidens internet er mobilt! Det giver dig adgang til internettet i f.eks. bussen, i parken, i lufthavnen, i toget, i sommerhuset eller på studiet.

Kan konfigureres efter eget ønske.
Se X-ONE prislister for priser og opgraderinger.

Yderligere specifikationer:

CPU support

Intel® Core / Core 2 Duo processor Socket P
FSB1066 / FSB800

Core Logic

Intel GM45 + ICH9M

Display

15.4" WSXGA+ (1680x1050) TFT LCD
Crystal Clear

Memory

64-bit wide DDRII data channel
Two 200Pin SODIMM socket, support DDRII 667MHz
Expandable memory up to 4GB, depends on 1GB/2GB
SODIMM Module

Video Controller

nVIDIA® GeForce® 9300M GS
256MB GDDRII Video RAM on board
Support PCIe*16
Microsoft® DirectX® 10 compatible
Support HDCP

Sound System

High Definition Audio interface
3D stereo enhanced sound system
S/PDIF Digital output
Sound-Blaster PROT compatible
Direct Sound 3DT compatible
Built-in microphone
Built-in two speakers

Storage

DVD DL Super-Multi ODD, PATA interface
One changeable 2.5" 9.5mm(H) HDD, SATA interface

Keyboard

Danish keyboard
Built in Touch pad with scrolling function

I/O Ports

3x USB 2.0 ports
1x HDMI
1x External CRT port
1x eSATA (Vista only)
1x Headphone jack
1x Microphone jack
1x S/PDIF output jack
1x RJ-11 jack
1x RJ-45 jack
1x DC-in jack

Card Reader

7-in-1 Card Reader (MMC/RSMHC/SD/Mini SD/MS/MS
Pro/MS Duo)

Slots

One ExpressCard /54/(34) slot
2x MiniCard slot with USB & PCI-E interface
(1st for WLAN, 2nd for Turbo Memory/3.5G)

Communication

56K FAX / modem
Built-in GB Ethernet LAN
Wireless LAN 802.11AGN
(option) Intel WLAN (Shirley Peak / Echo Peak)
Bluetooth V2.0 + EDR module
2M pixels Video Camera
(option) UMTS/HSDPA 3.5G module with USB interface

Power

Full Range AC adapter 90W, AC in 100~240V, 50~60Hz, DC
output 19V, 4.74A
6 Cells Smart Lithium-Ion battery pack, 4000mAh /
4400mAh
(Option) Removable 9 Cells Smart Lithium-Ion battery
pack, 7200mAh
Battery life > 130 minutes (with 4000mAh)

Security

Kensington® Lock
Built-in TPM v1.2 (Trusted Platform Module)
Fingerprint

O.S. support

Windows® VISTA (SP1)
Windows® XP (SP2)
Windows® VISTA Premium (32-bit & 64-bit) logo

Dimension

359(W) x 268(D) x 24.8~37(H)mm
2.6kg with 6 Cells battery and ODD

Options

Removable 9 Cells Smart Lithium-Ion
battery pack, 7200mAh
Bluetooth V2.0 + EDR module
with USB interface
UMTS/HSDPA 3.5G
module with USB interface



X·ONE®

- vejen til frihed



X-ONE B767T

- 15.4" TFT Widescreen (WXGA/GT 1280x800)
- Intel® Core™2 Duo T5870 (2.00GHz)
- 120 GB Harddisk
- 1 GB DDR2 RAM
- DVD/RW DualLayer
- 1.3 Megapixel Webcam
- Trådløs Netkort & GB LAN
- Fingerscan
- 4000mAh batteri



X·ONE B767T er det sidste nye på markedet inden for mobilt kontor. Så er du konstant på farten, og har brug for at have den sidste nye teknologi og dit skrivebord med dig, er denne nye X-ONE model perfekt til dig. Det nye look i børstetaluminium, sikrer dig et professionelt og stilrent design, og med mulighed for mobilt bredbånd og BT kan denne model medbringes til alle lejligheder.



Dansk hotline og service!

X·ONE notebook modellerne er alle omfattet af 24 måneders udvidet hotline, som dækker såvel hardware som Windows, men også MS Office og Adobe produkter, derudover suppleret af hurtig lokal service på eget værksted i Danmark.



Turbo3G Ready (Intern):

En X·ONE notebook der er Turbo3G Ready, har indbygget 3G antenne og udvidelses slot. Det eneste der skal tilkøbes er et HSDPA modem (som indbygges) samt et 3G abonnement (f.eks. fra 3) HSDPA understøtter hastigheder op til 3,6Mbit download og 384 Kbit upload.

Derefter vil du være online overalt. Glem alt om faste, besværlige adsl-linjer - fremtidens internet er mobilt! Det giver dig adgang til internettet i f.eks. bussen, i parken, i lufthavnen, i toget, i sommerhuset eller på studiet.

Kan konfigureres efter eget ønske.
Se X-ONE prislister for priser og opgraderinger.

Yderligere specifikationer:

CPU support

Intel® Core / Core 2 Duo processor Socket P
FSB1066 / FSB800

Core Logic

Intel GM45 + ICH9M

Display

15.4" WXGA (1280x800) TFT LCD
Crystal Clear

Memory

64-bit wide DDRII data channel
Two 200Pin SODIMM socket,
Support DDRII 667MHz and 800 MHz
Expandable memory up to 4GB, depends on 1GB/2GB
SODIMM Module

Video Controller

Intel GM45 integrated
Share memory architecture, up to 256MB
High performance 3D/2D graphy accelerator
Microsoft® DirectX® 10 support

Sound System

High Definition Audio interface
3D stereo enhanced sound system
S/PDIF Digital output
Sound-Blaster PROT compatible
Direct Sound 3DT compatible
Built-in microphone
Built-in two speakers

Storage

DVD DL Super-Multi ODD, PATA interface
One changeable 2.5" 9.5mm(H) HDD, SATA interface

Keyboard

Danish keyboard
Built in Touch pad with scrolling function

I/O Ports

3x USB 2.0 ports
1x HDMI
1x External CRT port
1x eSATA
1x Headphone jack
1x Microphone jack
1x S/PDIF output jack
1x RJ-11 jack
1x RJ-45 jack
1x DC-in jack

Card Reader

7-in-1 Card Reader (MMC/RSDMMC/SD/Mini SD/MS/MS
Pro/MS Duo)

Slots

One ExpressCard /54/34) slot
2x MiniCard slot with USB & PCI-E interface
(1st for WLAN, 2nd for Turbo Memory/3.5G)

Communication

56K FAX / modem
Built-in GB Ethernet LAN
Wireless LAN 802.11AGN
(Option) Bluetooth V2.0 + EDR module or UMTS/HSDPA
3.5G module with USB interfa
1.3M pixels Video Camera

Power

Full Range AC adapter 65W, AC in 100~240V, 50~60Hz, DC
output 19V, 3.42A / 18.5V
6 Cells Smart Lithium-Ion battery pack, 4000mAh
(Option) 9 Cells Smart Lithium-Ion battery pack, 7200mAh
Battery life > 180 minutes (with 4000mAh)

Security

Kensington® Lock

O.S. support

Windows® VISTA (SP1)
Windows® XP (SP2)
Windows® VISTA Premium (32-bit & 64-bit) logo
Windows® XP logo

Dimension

359(W) x 268(D) x 24.8~37(H)mm
2.5kg with 6 Cells battery and ODD

Options

Removable 9 Cells Smart Lithium-Ion battery pack, 7200mAh
(Option) Bluetooth V2.0 + EDR module with USB interface
(Option) UMTS/HSDPA 3.5G module with USB interface





X-ONE H767SU3

- 15.4" TFT Widescreen (WSXGA+/GT 1680x1050)
- Intel® Core™2 Duo T5470 (1.60GHz)
- 120 GB Harddisk
- 1 GB DDR2 RAM
- NVIDIA® GF 9300M GS m/ 256MB RAM (max. 512MB)
- DVD/RW DualLayer
- 2 Megapixel Webcam
- Trådløs Netkort & LAN
- Fingerscan, 4000mAh batteri



Med denne X-ONE model får du en flot og stabil bærbar computer, som både kan bruges til spil og mindre grafiske opgaver.

Med mulighed for Turbo3G eller BT (Vælg mellem 3G og BT) er denne model nem at medbringe overalt. Designet i børstet aluminium er det nyeste look på markedet, som gør den model yderst præsentabel i alle selskaber.

24!
MÅNEDERS
HOTLINE

Dansk hotline og service!

X-ONE notebook modellerne er alle omfattet af 24 måneders udvidet hotline, som dækker såvel hardware som Windows, men også MS Office og Adobe produkter, derudover suppleret af hurtigt lokal service på eget værksted i Danmark.



Turbo3G Ready (Intern):

En X-ONE notebook der er Turbo3G Ready, har indbygget 3G antenne og udvidelses slot. Det eneste der skal tilkøbes er et HSDPA modem (som indbygges) samt et 3G abonnement (f.eks. fra 3) HSDPA understøtter hastigheder op til 3,6Mbit download og 384 Kbit upload.

Derefter vil du være online overalt. Glem alt om faste, besværlige adsl-linjer - fremtidens internet er mobilt! Det giver dig adgang til internettet i f.eks. bussen, i parken, i lufthavnen, i toget, i sommerhuset eller på studiet.

Kan konfigureres efter eget ønske.
Se X-ONE prislister for priser og opgraderinger.

Yderligere specifikationer:

CPU support

Intel® Core / Core 2 Duo processor Socket P
FSB800/ FSB667

Intel® Celeron processor - Socket P
FSB533

Core Logic

SiS 671DX + SiS 968

Display

15.4" WSXGA+ (1680x1050) TFT LCD
Crystal Clear

Memory

64-bit wide DDRII data channel
Two 200Pin SODIMM sockets, support DDRII 667MHz
Expandable memory up to 4GB, depends on 1GB/2GB
SODIMM Module

Video Controller

nVIDIA® GeForce® 9300M GS
256MB GDDRII Video RAM on board
Support PCIe*16
Microsoft® DirectX® 10 compatible
Support HDCP

Sound System

High Definition Audio interface
3D stereo enhanced sound system
S/PDIF Digital output
Sound-Blaster PROT compatible
Direct Sound 3DT compatible
Built-in microphone
Built-in two speakers

Storage

DVD Dual Layer, PATA interface
One changeable 2.5" 9.5mm(H) HDD, SATA interface

Keyboard

Danish keyboard
Built in Touch pad with scrolling function

I/O Ports

3x USB 2.0 port
1x External CRT port
1x Headphone jack
1x Microphone jack
1x S/PDIF output jack
1x RJ-11 jack
1x RJ-45 jack
1x DC-in jack

Card Reader

7-in-1 Card Reader (MMC/RSMMC/SD/Mini SD/MS/MS
Pro/MS Duo)

Slots

One ExpressCard /54/(34) slot
One MiniCard slot for WLAN, support USB & PCIe
interface
2nd MiniCard slot for 3.5G module, support USB interface
only

Communication

56K FAX / modem
Built-in 10/100MB Base-TX Ethernet LAN
Wireless LAN 802.11b/g MiniCard module with USB
interface
2.0M pixels Video Camera with USB interface
(option) Bluetooth V2.0 + EDR module

Power

Full Range AC adapter 90W, AC in 100~240V, 50~60Hz, DC
output 20V, 4.5A
6 Cells Smart Lithium-Ion battery pack, 4000mAh /
4400mAh
(Option) Removable 9 Cells Smart Lithium-Ion battery
pack, 7200mAh
Battery life > 130 minutes (4000mAh)

Security

Kensington® Lock / Fingerprint security

O.S. support

Windows® VISTA (SP1)
Windows® XP (SP2)
Windows® VISTA Premium (32-bit & 64-bit) logo
Windows® XP logo

Dimension

359(W) x 268(D) x 24.8~37(H)mm
2.7kg with 6 Cells battery and ODD

Options

Removable 9 Cells Smart Lithium-Ion battery pack,
7200mAh (option) Bluetooth V2.0 + EDR module with
USB interface
(Option) UMTS/HSDPA 3.5G module
with USB interface





X•ONE H767S

- 15.4" TFT Widescreen (WXGA/GT 1280x800)
- Intel® Celeron M530 (1.73GHz)
- 120 GB Harddisk
- 1 GB DDR2 RAM
- DVD/RW DualLayer
- 1.3 Megapixel Webcam
- Trådløs Netkort
- 100Mbit LAN
- 4000mAh batteri



X•ONE B767S er det sidste nye på markedet inden for mobilt kontor. Så er du konstant på farten, og har brug for at have dit skrivebord med dig, er denne nye X•ONE model perfekt til dig.

Det nye look i børstetaluminium, sikrer dig et professionelt og stilrent design, og med mulighed for mobilt bredbånd eller BT (vælg mellem 3G og BT) kan denne model medbringes til alle lejligheder.

24! MÅNEDERS HOTLINE
Dansk hotline og service!

X•ONE notebook modellerne er alle omfattet af 24 måneders udvidet hotline, som dækker såvel hardware som Windows, men også MS Office og Adobe produkter, derudover suppleret af hurtig lokal service på eget værksted i Danmark.



Turbo3G Ready (Intern):

En X•ONE notebook der er Turbo3G Ready, har indbygget 3G antenne og udvidelses slot. Det eneste der skal tilkøbes er et HSDPA modem (som indbygges) samt et 3G abonnement (f.eks. fra 3) HSDPA understøtter hastigheder op til 3,6Mbit download og 384 Kbit upload.

Derefter vil du være online overalt. Glem alt om faste, besværlige adsl-linjer - fremtidens internet er mobilt! Det giver dig adgang til internettet i f.eks. bussen, i parken, i lufthavnen, i toget, i sommerhuset eller på studiet.

Kan konfigureres efter eget ønske.
Se X•ONE prislister for priser og opgraderinger.

Yderligere specifikationer:

CPU support

Intel® Core / Core 2 Duo processor Socket P
FSB800/ FSB667

Intel® Celeron processor - Socket P
FSB533

Core Logic

SIS M672 + SIS 968

Display

15.4" WXGA (1280x800) TFT LCD
Crystal Clear

Memory

64-bit wide DDRII data channel
Two 200Pin SODIMM socket, support DDRII 667MHz
Expandable memory up to 4GB, depends on 1GB/2GB
SODIMM Module

Video Controller

Mirage 3+ DX 9 Graphics (SIS M672 integrated)
Share memory architecture, up to 256MB
High performance 3D/2D graphy accelerator
Microsoft® DirectX® 9.0 compatible
Support Vertex Shader 2.0 and Pixel Shader 2.0

Sound System

High Definition Audio interface
3D stereo enhanced sound system
S/PDIF Digital output
Sound-Blaster PROT compatible
Direct Sound 3DT compatible
Built-in microphone
Built-in two speakers

Storage

DVD DL Super-Multi ODD, PATA interface
One changeable 2.5" 9.5mm(H) HDD, SATA interface

Keyboard

Danish keyboard
Built in Touch pad with scrolling function

I/O Ports

3x USB 2.0 ports
1x External CRT port
1x Headphone jack
1x Microphone jack
1x S/PDIF output jack
1x RJ-11 jack
1x RJ-45 jack
1x DC-in jack

Card Reader

7-in-1 Card Reader (MMC/RSMMC/SD/Mini SD/MS/MS
Pro/MS Duo)

Slots

One ExpressCard /54/34) slot
One MiniCard slot for WLAN, support USB & PCI-E interface
2nd MiniCard slot for 3.5G module, support USB interface

Communication

56K FAX / modem
Built-in 10/100MB Base-TX Ethernet LAN
Wireless LAN 802.11b/g MiniCard module (USB interface)
(Option) Bluetooth V2.0 + EDR module or UMTS/HSDPA
3.5G module with USB interface
1.3M pixels Video Camera

Power

Full Range AC adapter 65W, AC in 100~240V, 50~60Hz, DC
output 19V, 3.42A / 18.5V
6 Cells Smart Lithium-Ion battery pack, 4000mAh
(Option) 9 Cells Smart Lithium-Ion battery pack, 7200mAh
Battery life > 180 minutes (with 4000mAh)

Security

Kensington® Lock

O.S. support

Windows® VISTA (SP1)
Windows® XP (SP2)
Windows® VISTA Premium (32-bit & 64-bit) logo
Windows® XP logo

Dimension

359(W) x 268(D) x 24.8~37(H)mm
2.5kg with 6 Cells battery and ODD

Options

Removable 9 Cells Smart Lithium-Ion battery pack, 7200mAh
(Option) Bluetooth V2.0 + EDR module with USB interface
(Option) UMTS/HSDPA 3.5G module with USB interface



X•ONE®

- vejen til frihed



X-ONE H760S

- 15.4" TFT Widescreen (WXGA/GT 1280x800)
- Intel® Celeron M530 (1.73GHz)
- 120 GB Harddisk
- 1 GB DDR2 RAM
- DVD/RW DualLayer
- 1.3 Megapixel Webcam
- Trådløs Netkort
- 100Mbit LAN
- 4000mAh batteri

Kan konfigureres efter eget ønske.
Se X-ONE prislister for priser og opgraderinger.



Turbo3G Ready (Intern):

En X•ONE notebook der er Turbo3G Ready, har indbygget 3G antenne og udvidelses slot. Det eneste der skal tilkøbes er et HSDPA modem (som indbygges) samt et 3G abonnement (f.eks. fra 3) HSDPA understøtter hastigheder op til 3,6Mbit download og 384 Kbit upload.

X•ONE H760S er computeren til dig, som skal bruge en all round bærbar med en god ydelse til prisen. Med mulighed for Turbo3G eller BT, er denne model yderst mobil, og kan medbringes overalt, så er du konstant på farten er dette computeren for dig.



Dansk hotline og service!

X•ONE notebook modellerne er alle omfattet af 24 måneders udvidet hotline, som dækker såvel hardware som Windows, men også MS Office og Adobe produkter, derudover suppleret af hurtig lokal service på eget værksted i Danmark.

Derefter vil du være online overalt. Glem alt om faste, besværlige adsl-linjer - fremtidens internet er mobilt! Det giver dig adgang til internettet i f.eks. bussen, i parken, i lufthavnen, i toget, i sommerhuset eller på studiet.

Yderligere specifikationer:

CPU support

Intel® Core / Core 2 Duo processor Socket P
FSB800/ FSB667

Intel® Celeron processor - Socket P
FSB533

Core Logic

SIS M672 + SIS 968

Display

15.4" WXGA (1280x800) TFT LCD
Crystal Clear

Memory

64-bit wide DDRII data channel
Two 200Pin SODIMM socket, support DDRII 667MHz
Expandable memory up to 4GB, depends on 1GB/2GB
SODIMM Module

Video Controller

Mirage 3+ DX 9 Graphics (SIS M672 integrated)
Share memory architecture, up to 256MB
High performance 3D/2D graphy accelerator
Microsoft® DirectX® 9.0 compatible
Support Vertex Shader 2.0 and Pixel Shader 2.0

Sound System

High Definition Audio interface
3D stereo enhanced sound system
S/PDIF Digital output
Sound-Blaster PROT compatible
Direct Sound 3DT compatible
Built-in microphone
Built-in two speakers

Storage

DVD DL Super-Multi ODD, PATA interface
One changeable 2.5" 9.5mm(H) HDD, SATA interface

Keyboard

Danish keyboard
Built in Touch pad with scrolling function

I/O Ports

3x USB 2.0 ports
1x External CRT port
1x Headphone jack
1x Microphone jack
1x S/PDIF output jack
1x RJ-11 jack
1x RJ-45 jack
1x DC-in jack

Card Reader

7-in-1 Card Reader (MMC/RSMMC/SD/Mini SD/MS/MS
Pro/MS Duo)

Slots

One ExpressCard /54(/34) slot
One MiniCard slot for WLAN, support USB & PCI-E interface
2nd MiniCard slot for 3.5G module, support USB interface

Communication

56K FAX / modem
Built-in 10/100MB Base-TX Ethernet LAN
Wireless LAN 802.11b/g MiniCard module (USB interface)
(Option) Bluetooth V2.0 + EDR module or UMTS/HSDPA
3.5G module with USB interface
1.3M pixels Video Camera

Power

Full Range AC adapter 65W, AC in 100~240V, 50~60Hz, DC
output 19V, 3.42A / 18.5V
6 Cells Smart Lithium-Ion battery pack, 4000mAh
(Option) 9 Cells Smart Lithium-Ion battery pack, 7200mAh
Battery life > 180 minutes (with 4000mAh)

Security

Kensington® Lock

O.S. support

Windows® VISTA (SP1)
Windows® XP (SP2)
Windows® VISTA Premium (32-bit & 64-bit) logo
Winodws® XP logo

Dimension

359(W) x 268(D) x 24.8~37(H)mm
2.5kg with 6 Cells battery and ODD

Options

Removable 9 Cells Smart Lithium-Ion battery pack, 7200mAh
(Option) Bluetooth V2.0 + EDR module with USB interface
(Option) UMTS/HSDPA 3.5G module with USB interface



X·ONE®

- vejen til frihed



X-ONE H72R

- 12.1" TFT Widescreen (WXGA 1280x800) CrystalClear
- Intel® Celeron M530 (1.73GHz)
- 120 GB Harddisk
- 1 GB DDR2 RAM
- DVD/RW DualLayer
- 2 Megapixel Webcam
- Gb LAN
- Trådløs Netkort (300 Mbit), Bluetooth
- Fingerscan - fingeraftryks læser for sikker login
- Forberedt til Turbo3G (Trådløs bredbånd)



Kan konfigureres efter eget ønske.
Se X-ONE prislister for priser og opgraderinger.

En ny trendsætter!

Denne lille og smarte 12" er perfekt til dig, som altid er på farten. Med det kompakte format, er den altid nem at have med i tasken. Udover det almindelige trådløse netværk er modellen forberedt til at kunne udvides med det nye trådløse bredbånd (Turbo3G), så den er lige til at have med til studiemiljøerne, cafeer, tog- og flyrejser osv. Til dig som vil sikre sig det smarteste design, med den bedste kvalitet i den mindste størrelse. Med de mange lækre farver den fås i, er denne lille trendsætter, maskinen du gerne vil vise frem. Hvilken farve passer til dig?

24!
MÅNEDERS
HOTLINE

Dansk hotline og service!

X·ONE notebook modellerne er alle omfattet af 24 måneders udvidet hotline, som dækker såvel hardware som Windows, men også MS Office og Adobe produkter, derudover suppleret af hurtig lokal service på eget værksted i Danmark.



Turbo3G Ready (Intern):

En X·ONE notebook der er Turbo3G Ready, har indbygget 3G antenne og udvidelses slot. Det eneste der skal tilkøbes er et HSDPA modem (som indbygges) samt et 3G abonnement (f.eks. fra 3) HSDPA understøtter hastigheder op til 3,6Mbit download og 384 Kbit upload.

Derefter vil du være online overalt. Glem alt om faste, besværlige adsl-linjer - fremtidens internet er mobilt! Det giver dig adgang til internettet i f.eks. bussen, i parken, i lufthavnen, i toget, i sommerhuset eller på studiet.

Yderligere specifikationer:

CPU support

Intel® Core / Core 2 Duo processor Socket P
FSB800/ FSB667

Intel® Celeron processor - Socket P
FSB533

Core Logic

Intel® GM965 + ICH8M

Display

12.1" WXGA Glare type TFT LCD
CrystalClear

Memory

64-bit wide DDRII data channel
Two 200pin SODIMM sockets, support DDRII 533/667
Expandable memory up to 4GB, based on
512/1024/2048MB SODIMM Module

Video Controller

Intel® GM965 integrated
High preference 3D/2D graphic accelerator
Share memory architecture, up to 256MB
Support Microsoft DirectX® 9 3D graphic accelerator

Storage

One changeable 12.7mm(H) Combo / DVD-Dual
One changeable 2.5", 9.5mm(H), SATA HDD

Keyboard

Multi-Language support (with VISTA Start key)
Built-in Touch pad with scrolling function

Sound System

High definition Audio
Compliant with Microsoft UAA (Universal Audio
Architecture)
Direct Sound 3D compatible
EAX 1.0 & 2.0 compatible
A3D compatible
S/PDIF Digital output
Built-in Microphone
Built-in two Speakers

I/O Ports

3x USB 2.0 ports (USB1.1compatible)
1x IEEE 1394
1x External CRT
1x Headphone jack
1x Microphone jack
1x Internal Microphone
1x S/PDIF output jack
1x RJ-45 jack for LAN
1x RJ-11 jack for MDC modem
1x DC-In jack
Built-in 3 instant keys. Email, WWW, and silent mode

Slots

One New Card (ExpressCard 54/34) slot, support USB &
PCIE interface
One Mini-card slot, support USB & PCIE interface
Second mini-card slot, support USB & PCIE interface
7-in-1 Card Reader support (MMC/RSMMC/SD/Mini
SD/MS/MS Pro/MS Duo)

Security

Kensington® Lock
Fingerscanner
(Factory Option) TPM

Communication

10/100/1000Mb Base-T Ethernet
56K MDC modem with V.90 & V.92 compliant
2M pixel video camera module
Intel® Wireless WiFi Link 4965AGN with mini card
interface
Bluetooth V2.0 + EDR
(Option) UMTS/HSDPA-based 3.5G module with mini card
interface

Power

Full Range 65W AC adapter - AC input 100~240V,
50~60Hz, DC output 19V, 3.42A
4cells smart battery Li-Ion 14.8V/2.4AH (removable)
(option) 8cells smart battery Li-Ion 14.8V/4.4AH
(removable)
RTC Battery

OS support

Windows® XP (SP2)
Windows® VISTA

Dimension

299(W) x 219(D) x 26.5~35.7(H)mmk
1.88Kg with 4 cells Battery & ODD

Options

USB FDD
DVD/CD-RW Combo drive module
DVD-Dual drive module
(Option) UMTS/HSDPA-based 3.5G module with mini card
interface
(Factory Option) TPM v1.2

X•ONE®

- vejen til frihed



X•ONE B730T

- 13.3" TFT Widescreen (WXGA/GT 1280x800)
- Intel® Core™ 2 Duo T5470 (1.60GHz)
- 120 GB Harddisk
- 1 GB DDR2 RAM
- DVD/RW DualLayer
- 2.0 Megapixel Webcam
- Trådløs Netkort (300 Mbit), Bluetooth
- Gigabit LAN
- Fingerscan - fingeraftryks læser for sikker

X•ONE B730T er det sidste nye på markedet inden for mobilt kontor. Denne model er med 13,3" skærm og vejer kun 2 kg. Så er du konstant på farten, og har brug for at have den sidste nye teknologi og dit skrivebord med dig, er denne nye X•ONE model perfekt til dig. Det nye look i børstetaluminium, sikrer dig et professionelt og stilrent design, og med mulighed for mobilt bredbånd og BT kan denne model medbringes til alle lejligheder.

24! MÅNEDERS HOTLINE
Dansk hotline og service!

X•ONE notebook modellerne er alle omfattet af 24 måneders udvidet hotline, som dækker såvel hardware som Windows, men også MS Office og Adobe produkter, derudover suppleret af hurtig lokal service på eget værksted i Danmark.



Kan konfigureres efter eget ønske. Se X•ONE prislister for priser og opgraderinger.



Turbo3G Ready (Intern):

En X•ONE notebook der er Turbo3G Ready, har indbygget 3G antenne og udvidelses slot. Det eneste der skal tilkøbes er et HSDPA modem (som indbygges) samt et 3G abonnement (f.eks. fra 3) HSDPA understøtter hastigheder op til 3,6Mbit download og 384 Kbit upload.

Derefter vil du være online overalt. Glem alt om faste, besværlige adsl-linjer - fremtidens internet er mobilt! Det giver dig adgang til internettet i f.eks. bussen, i parken, i lufthavnen, i toget, i sommerhuset eller på studiet.

Yderligere specifikationer:

CPU support

Intel® Core / Core 2 Duo processor Socket P
FSB800/ FSB667/FSB1066

Intel® Celeron processor - Socket P
FSB533

Core Logic

Intel GM45 + ICH9M

Display

13.3" WXGA (1280x800) TFT LCD
Crystal Clear

Memory

64-bit wide DDRII data channel
Two 200Pin SODIMM socket,
Support DDRII 667MHz and 800 MHz
Expandable memory up to 4GB, depends on 1GB/2GB
SODIMM Module

Video Controller

Intel GMA X4500HD integrated
Share memory architecture, up to 256MB
High performance 3D/2D graphy accelerator
Microsoft® DirectX® 10 support

Storage

DVD DL Super-Multi ODD, SATA interface
One changeable 2.5" 9.5mm(H) HDD, SATA interface

Keyboard

Danish keyboard
Built in Touch pad with scrolling function

Sound System

High Definition Audio interface
3D stereo enhanced sound system
S/PDIF Digital output 7.1 CH
Sound-Blaster PROT compatible
Built-in microphone
Built-in two speakers

I/O Ports

3x USB 2.0 ports
1x External CRT port
1x Headphone jack
1x Microphone jack
1x S/PDIF output jack
1x RJ-11 jack
1x RJ-45 jack
1x DC-in jack

Card Reader

7-in-1 Card Reader (MMC/RSMCMC/SD/Mini SD/MS/MS
Pro/MS Duo)

Communication

56K FAX / modem
Built-in GB Ethernet LAN
Intel® Wireless LAN WiFi Link 4965AGN with MiniCard, PCI-E
interface
(option) Intel Wireless LAN (Shirley Peak/Echo Peak)
Bluetooth V2.0 + EDR module
2M pixels Video Camera
(Option) UMTS/HSDPA 3.5G module with USB interface

Slots

One ExpressCard /54(/34) slot
2x MiniCard slot with USB & PCI-E interface
(1st for WLAN, 2nd for Turbo Memory/3.5G)

Power

Full Range AC adapter 65W, AC in 100~240V, 50~60Hz,
(DC output 19V, 3.42A / 18.5V 3.5A)
4 Cells Smart Lithium-Ion battery pack, 2400mAh
(Option) 8 Cells Smart Lithium-Ion battery pack, 4400mAh
Battery life > 210 minutes (with 2400mAh)

Security

Kensington® Lock
Fingerprint

O.S. support

Windows® VISTA (SP1)
Windows® XP (SP2)
Windows® VISTA Premium (32-bit & 64-bit) logo

Dimension

310(W) x 233(D) x 30~36(H)mm
2.0kg with 4 Cells battery and ODD

Options

Removable 8 Cells Smart Lithium-Ion battery pack,
4400mAh
UMTS/HSDPA 3.5G module with USB interface





X-ONE B70M1 - UMPC

- 7" TFT Widescreen med trykfølsom skærm (WVGA 800x480/ Touch skærm)
- Intel® Atom Z520 (1.33GHz)
- 30 GB Harddisk
- 1 GB DDR2 RAM
- ExpressCard /54 (/34) & 2 x USB
- 5-i-1 KortLæser
- Trådløs Netkort, Bluetooth
- 10/100Mbit LAN
- Vægt: 922 gram
- Optimeret til Windows Vista



Kan konfigureres efter eget ønske.
Se X-ONE prisliste for priser og opgraderinger.

Ultra flexibel 7" med tablet pc funktion!

Denne lille og smarte 7" UMPC er perfekt til dig, som altid er på farten. Med det kompakte format og den meget lave vægt, er den altid nem at have med i tasken. Den har desuden 7-8 timers batteritid. Kombinerer man denne UMPC med trådløst bredbånd (Turbo3G) og du vil være online overalt. Glem alt om faste, besværlige adsl-linjer - fremtidens internet er mobilt! Det giver dig adgang til internettet i f.eks. bussen, i parken, i lufthavnen, i toget, i sommerhuset eller på studiet.

24!
MÅNEDERS
HOTLINE

Dansk hotline og service!

X·ONE notebook modellerne er alle omfattet af 24 måneders udvidet hotline, som dækker såvel hardware som Windows, men også MS Office og Adobe produkter, derudover suppleret af hurtig lokal service på eget værksted i Danmark.

Yderligere specifikationer:

CPU support

Intel® Atom processor Z520 (1.33GHz, FSB533)

Core Logic

Intel® US15W

Display

7" WVGA TFT LCD (800x480) with TOUCH panel

Memory

64-bit wide DDRII data channel
One 200pin SODIMM sockets, support DDRII 533 MHz
Expandable memory up to 1GB, based on 512/1024MB SODIMM Module

Video Controller

Intel® US15W integrated
Intel® Graphics Media Accelerator 500
Share memory architecture, up to 256MB

Storage

One changeable 1.8", 5.0mm(H), PATA HDD or SSD

Keyboard

Danish keyboard
Built-in Touch Pad and pointer
Touch Stylus
Panel bottom: up/down/left/right and enter, brightness and audio, zoom in, zoom out

Sound System

High definition Audio
3D stereo enhanced sound system
Sound-Blaster Pro compatible
Built-in Microphone
Built-in two Speakers

I/O Ports

2x USB 2.0 ports
1x External CRT
1x Headphone jack
1x Microphone jack
1x RJ-45 jack for LAN
1x DC-In jack

CardReader

5-in-1 CardReader (MMC/RSDMMC/SD/Mini-SD/SDIO)

Slots

One ExpressCard 54/34 slot
One Mini-card slot for WLAN, support USB & PCIE interface

Communication

10/100Mb Base-T Ethernet
Bluetooth V2.0 + EDR
Wireless 802.11BG with mini card USB interface
(option) GPS/WLAN/BT 3-in-1 module with PCIE interface
(option) UMTS/HSDPA 3.5G/3G/VOIP/DVB-T TV module with ExpressCard /34 interface

Power

Full Range 36W AC adapter - AC input 100~240V, 50~60Hz,
DC output 12V, 3A
4cells smart battery Li-Ion 4800mAh (removable)
(Option) 4cells smart battery Li-Ion 5200mAh (removable)
Battery life >480 minuts (with 4800 mAh)
RTC Battery

Security

Kensington® Lock

O.S. Support

Windows® XP (SP2)
Windows® VISTA (SP1) Premium (64-bit) logo

Dimension

228(W) x 171(D) x 30(H)mm
922g with 4 cells Battery

Options

Combo/Super multi ODD, USB interface





X-ONE B70M3 - Tablet UMPC

- 7" TFT Widescreen med trykfølsom skærm (WSVGA 1024x600/ Touch skærm)
- Intel® Atom Z520 (1.33GHz)
- 32 GB SSD Harddisk - Sold State
- 1 GB DDR2 RAM
- ExpressCard /34 & 2 x USB
- 5-i-1 KortLæser
- Trådløs Netkort, Bluetooth
- 10/100Mbit LAN
- Vægt: 922 gram
- Optimeret til Windows Vista



Kan konfigureres efter eget ønske.
Se X-ONE prisliste for priser og opgraderinger.

Ultra flexibel 7" med tablet pc funktion!

Denne lille og smarte 7" UMPC er perfekt til dig, som altid er på farten. Med det kompakte format og den meget lave vægt, er den altid nem at have med i tasken. Den har desuden 7-8 timers batteritid. Kombinere man denne UMPC med trådløst bredbånd (Turbo3G) og du vil være online overalt. Glem alt om faste, besværlige adsl-linjer - fremtidens internet er mobilt! Det giver dig adgang til internettet i f.eks. bussen, i parken, i lufthavnen, i toget, i sommerhuset eller på studiet.



Dansk hotline og service!

X·ONE notebook modellerne er alle omfattet af 24 måneders udvidet hotline, som dækker såvel hardware som Windows, men også MS Office og Adobe produkter, derudover suppleret af hurtig lokal service på eget værksted i Danmark.

Yderligere specifikationer:

CPU support

Intel® Atom processor Z520 (1.33GHz, FSB533)

Core Logic

Intel® US15W

Display

7" WSVGA TFT LCD (1024x600) with TOUCH panel

Memory

64-bit wide DDRII data channel
One 200pin SODIMM sockets, support DDRII 533 MHz
Expandable memory up to 1GB, based on 512/1024MB SODIMM Module

Video Controller

Intel® US15W integrated
Intel® Graphics Media Accelerator 500
Share memory architecture, up to 256MB

Storage

One changeable 1.8", 5.0mm(H), PATA HDD or SSD

Keyboard

Danish keyboard
Built-in Touch Pad and pointer
Touch Stylus
Panel bottom: up/down/left/right and enter, brightness and audio, zoom in, zoom out

Sound System

High definition Audio
3D stereo enhanced sound system
Sound-Blaster Pro compatible
Built-in Microphone
Built-in two Speakers

I/O Ports

2x USB 2.0 ports
1x External CRT
1x Headphone jack
1x Microphone jack
1x RJ-45 jack for LAN
1x DC-In jack

CardReader

5-in-1 CardReader (MMC/RSDMMC/SD/Mini-SD/SDIO)

Slots

One ExpressCard /34 slot
One Mini-card slot for WLAN, support USB & PCIE interface

Communication

10/100Mb Base-T Ethernet
Bluetooth V2.0 + EDR
Wireless 802.11BG with mini card USB interface
(option) GPS/WLAN/BT 3-in-1 module with PCIE interface
(option) UMTS/HSDPA 3.5G/3G/VOIP/DVB-T TV module with ExpressCard /34 interface

Power

Full Range 36W AC adapter - AC input 100~240V, 50~60Hz, DC output 12V, 3A
4cells smart battery Li-Ion 4800mAh (removable)
(Option) 4cells smart battery Li-Ion 5200mAh (removable)
Battery life >480 minuts (with 4800 mAh)
RTC Battery

Security

Kensington® Lock

O.S. Support

Windows® XP (SP2)
Windows® VISTA (SP1) Premium (64-bit) logo

Dimension

228(W) x 171(D) x 30(H)mm
922g with 4 cells Battery

Options

Combo/Super multi ODD, USB interface

